

VISSER palletiser PM


VISSER
HANDLING EQUIPMENT



The VISSER palletiser is suitable for fully automatic stacking of bags up to 50 kg, in various stacking patterns and on various pallet sizes. Due to the compact design, the machine can be used almost everywhere.

The machine has different input and output sides depending on the situation in which it is used. The bags are supplied by an optional infeed belt or roller conveyor. The bag lift in the machine brings the bags to the desired height, after which a gripper places the bag in its place. The VISSER palletiser has 6 standard stacking programs but can easily be expanded with a self-made patterns.

Optionally, the palletiser can be equipped with infeed and discharge roller conveyors, wrapper or pallet magazine.





VISSER HANDLING EQUIPMENT




Technical specifications VISSER palletiser





Capacity:	Approx. 400-600 units / hour.
Size (LxBxH):	Ca. 3.500 x 2.300 x 3.800 mm.
Weight:	Ca. 1925 kg.
Palletsizes:	1.600x1.200, 800x1.200, 1.000x1.200 mm.
Operation / software:	PLC with Touchscreen control panel and LCD screen.
Programs:	6 standard, 28 free programmable.
Other Details:	Input and output options of your choice. Easy to move with forklift. Walk-in protection on one side, fencing on the other side. Demountable upper part due to transport or door height. Socket outlets for weighing machine or sewing belt. Pneumatically operated gripper with centering fingers.
Optional:	Roller conveyors for access and discharge. Pallet storage for empty pallets. Wrapper. Modem for online intervention.



Standard executions PM



Examples special editions PM





VISSER
HANDLING EQUIPMENT

De Marne 1
8701 PV Bolsward

Tel: +31 (0)85 732 54 00
@: info@visserbolsward.com

www.visserbolsward.com